



## PRODUCT CATALOG

Xinxiang Cynthia Audio Visual Equipment Co.,Ltd  
High-Tech Industrial Park,Xinfei Avenue,High-Tech Zone,Xinxiang  
Website:[www.cynthiagroup.com](http://www.cynthiagroup.com)  
[www.cynthiascreen.com](http://www.cynthiascreen.com)  
[www.cynthiacn.com](http://www.cynthiacn.com)  
Email:[info@cynthiacn.com](mailto:info@cynthiacn.com)

Xinxiang Cynthia Audio Visual Equipment Co., LTD





## COMPANY PROFILE

Xinxiang Cynthia Audio-Visual Equipment Co., Ltd., established in 2008, is one of China's leading manufacturers of AV equipment with over 16 years of industry expertise. Operating under the brand CYNTHIA SCREEN and supported by Xinxiang Cynthia Trading Co., Ltd., the company runs two production facilities located in Henan and Wuxi. Our multiple production lines cover a wide range of products, including various types of projection screens (such as electric, tab-tension, tripod, manual, fixed frame, narrow frame, ambient light rejecting, portable, fast fold, green screen, floor standing, and floor rising screens), as well as electric projector lifts, universal projector mounts, TV mounts (including ceiling mounts), mobile TV trolleys, and monitor mounts. We continuously invest in R&D to expand our product portfolio. The company holds ISO9001, CE, and RoHS certifications, affirming our commitment to quality and safety.

Quality is embedded in our culture. CYNTHIASCREEN maintains a stringent quality control department and upholds a spirit of precision craftsmanship, ensuring excellence throughout every stage of production. By adopting internationally advanced management systems, we have built a sustainable and distinctive production management framework that strives for perfect quality and aims to set industry benchmarks. We place utmost importance on product quality, viewing it as the soul of our brand. Our products have earned a strong reputation among international distributors, wholesalers, and clients for their reliability, competitive pricing, timely delivery, and excellent service.

From industry entry to expertise, Cynthia Screen has consistently progressed through innovation. As a modern high-tech enterprise, we integrate development, production, sales, and service across the AV equipment industry. Our products are exported to over 50 countries and regions, including Europe, North and South America, the Middle East, and Southeast Asia. Recognized for their stability, reliability, and cost-effectiveness, Cynthia Screen products have garnered high praise and trust from industrial customers, leading to strategic partnerships with numerous enterprises.

Cynthia Screen brings together top talent in marketing, management, and technology. Guided by a people-oriented approach and driven by innovation and collaboration, we foster sustainable corporate competitiveness and provide a vast platform for employee growth, thereby advancing enterprise development.

We are committed to delivering superior products and services and look forward to the opportunity to collaborate with you!

## PRODUCT CERTIFICATE



## PRODUCTION





## Classic Electric Screen

Professional Elegance, Effortless Performance :  
The CynthiaScreen Classic Electric Projection Screen redefines modern presentation and home cinema setups. Designed with a sleek, minimalist square casing, it offers a sophisticated and space-efficient solution for displaying your content. With the simple push of a button, enjoy a perfectly flat, taut viewing surface that descends silently and retracts discreetly when not in use. It is the ideal fusion of form and function for demanding environments.





## Key Features

- Modern Design- With the simple push of a button, enjoy a perfectly flat, taut viewing surface that descends silently and retracts discreetly when not in use.  
  
Ideal fusion of form and function for demanding environments.
- Square, Low-Profile Casing- The screen features a modern, square-profile external shell, as opposed to traditional Octagon casings.  
  
Clean, architectural look that blends seamlessly with modern interiors.
- Quiet, Powerful Motorized Mechanism- Equipped with a reliable and ultra-quiet DC motor for smooth, whisper-quiet operation.  
  
Prevents disruptions during meetings or immersive movie scenes.
- Easy and Flexible Installation- Designed for universal mounting—on the ceiling, wall, or even within a recess.  
  
Maximum installation flexibility to suit any room layout and aesthetic preference.

## Product Details



## Specification



| Models    | size      | Viewing size(L1xH1) | Casing size(dhx) | Length(L) | Height(H) | B1 | B2 | B3  | Packing size | N.W. | G.W. |
|-----------|-----------|---------------------|------------------|-----------|-----------|----|----|-----|--------------|------|------|
|           | inch      | mm                  | mm               | mm        | mm        | mm | mm | mm  | mm           | KGS  | KGS  |
| CMP7070   | 70x70     | 1780x1780           | 78x78            | 1930      | 1885      | 30 | 30 | 30  | 2100x140x130 | 11   | 12   |
| CMP8080   | 80x80     | 2030x2030           | 78x78            | 2180      | 2135      | 30 | 30 | 30  | 2300x160x140 | 12.5 | 14   |
| CMP8484   | 84x84     | 2130x2130           | 78x78            | 2280      | 2235      | 30 | 30 | 30  | 2400x160x140 | 13   | 15   |
| CMP9696   | 96x96     | 2440x2440           | 78x78            | 2590      | 2545      | 30 | 30 | 30  | 2720x160x140 | 15   | 17   |
| CMP108108 | 108x108   | 2750x2750           | 90x90            | 2900      | 2875      | 30 | 30 | 30  | 3100x160x160 | 17   | 19   |
| CMP120120 | 120x120   | 3050x3050           | 90x90            | 3200      | 2175      | 40 | 40 | 40  | 3400x160x160 | 20   | 23   |
| CMP8443   | 84" 4:3   | 1700x1280           | 78x78            | 1850      | 1345      | 30 | 30 | 30  | 2050x140x130 | 10   | 12   |
| CMP10043  | 100" 4:3  | 2030x1520           | 78x78            | 2180      | 1645      | 30 | 30 | 30  | 2400x140x130 | 12   | 14   |
| CMP12043  | 120" 4:3  | 2440x1830           | 78x78            | 2590      | 1955      | 30 | 30 | 40  | 2750x160x140 | 14   | 16   |
| CMP15043  | 150" 4:3  | 3050x2280           | 90x90            | 3200      | 2415      | 40 | 40 | 40  | 3270x160x140 | 18   | 20   |
| CMP84169  | 84" 16:9  | 1860x1045           | 78x78            | 1910      | 1445      | 40 | 40 | 300 | 2150x140x130 | 11.5 | 13   |
| CMP92169  | 92" 16:9  | 2030x1145           | 78x78            | 2180      | 1540      | 30 | 30 | 300 | 2300x160x140 | 12   | 14   |
| CMP100169 | 100" 16:9 | 2210x1250           | 78x78            | 2360      | 1645      | 30 | 30 | 300 | 2650x160x140 | 13   | 15   |
| CMP106169 | 106" 16:9 | 2350x1320           | 78x78            | 2500      | 1720      | 30 | 30 | 300 | 2700x160x140 | 14   | 16   |
| CMP120169 | 120" 16:9 | 2650x1500           | 78x78            | 2800      | 2040      | 30 | 30 | 300 | 3100x160x140 | 16   | 18   |
| CMP133169 | 133" 16:9 | 2940x1660           | 78x78            | 3090      | 2205      | 40 | 40 | 300 | 3160x160x140 | 18   | 20   |
| CMP150169 | 150" 16:9 | 3320x1870           | 90x90            | 3470      | 2435      | 40 | 40 | 300 | 3750x160x160 | 22   | 25   |

Data subject to change without notice

## Tab-Tensioned Screen


The Electric Tab-Tensioned Screen with a square housing represents the premium category of projection screens, designed for users who demand a flawless viewing experience. It integrates an advanced motorized system with a precision mechanical tab-tensioning mechanism to ensure the screen surface remains perfectly flat over years of use. The square housing exudes a modern and elegant aesthetic, making it a sophisticated addition to any interior space, from home theaters to professional environments .




## Key Features

- **Perfectly Flat Surface**  
Tab-tensioning system with adjustable, self-locking elastic cords applies constant tension to eliminate “V-waves” and edge curling for a distortion-free image.
- **Robust Square Housing**  
High-strength alloy housing with premium piano paint coating that resists oxidation and blends with modern decor.
- **Quiet Tubular/Synchronous Motor**  
Low-noise, high-torque tubular/synchronous motor with precision control and built-in overheating protection for smooth, reliable operation.
- **Flexible Control Options**  
Infrared (IR) or Radio Frequency (RF) remote controls, RS485 and 12V trigger and smart home integration capabilities are optional.
- **Precision Engineering**  
Multiple aspect ratios (16:9, 16:10, 4:3, 2.35:1) and custom sizes from 80” to 150+” with versatile wall/ceiling mounting options.
- **Premium Finishes**  
Available in various high-end finishes to match any interior design-black,white and custom

## Product Details



## Specification



| Models   | Szie      | Viewing size(W*H) | Casing size(L*d*h) | B1  | B2 | B3 | L2   | H1   | Weight |
|----------|-----------|-------------------|--------------------|-----|----|----|------|------|--------|
|          | inch      | mm                | mm                 | mm  | mm | mm | mm   | mm   | kg     |
| CMTP72H  | 72" 16:9  | 1592*896          | 2052*80*80         | 300 | 40 | 30 | 1842 | 1366 | 13     |
| CMTP84H  | 84" 16:9  | 1858*1045         | 2325*80*80         | 300 | 40 | 30 | 2115 | 1515 | 15     |
| CMTP92H  | 92" 16:9  | 2035*1145         | 2500*80*80         | 300 | 40 | 30 | 2290 | 1615 | 16     |
| CMTP100H | 100" 16:9 | 2212*1245         | 2680*80*95         | 300 | 40 | 30 | 2485 | 1715 | 17     |
| CMTP110H | 110" 16:9 | 2433*1369         | 2930*80*80         | 300 | 40 | 30 | 2720 | 1840 | 19     |
| CMTP120H | 120" 16:9 | 2654*1494         | 3175*80*80         | 300 | 40 | 30 | 2965 | 1964 | 20     |
| CMTP133H | 133" 16:9 | 2942*1655         | 3410*100*100       | 300 | 40 | 30 | 3240 | 2140 | 24     |
| CMTP150H | 150" 16:9 | 3318*1867         | 3810*100*100       | 300 | 40 | 30 | 3640 | 2350 | 28     |

Data subject to change without notice

## Floor Rising Screen ➡

The electric floor rising projector screen is a screen that rises from the ground. It has an automatic lifting function, is easy to use and flexible to move. | This screen does not need to be installed, plug in and use, and is suitable for various environments, such as home theaters, educational venues, etc.




## Key Features

- **High Flexibility and Portability:** It is not constrained by fixed installation sites and can be used in diverse environments such as living rooms, bedrooms, independent audiovisual rooms, and even outdoor courtyards or mobile settings. This allows for a viewing experience anytime and anywhere.
- **Sleek Design and Durable Construction:** The product casing is made from high-strength aluminum alloy with a piano paint finish, featuring a simple and stylish design that easily integrates into different decors. The base may incorporate dual pneumatic support rod structures to prevent sagging or deformation from long-term use
- **Quiet, Powerful Motorized Mechanism-** Equipped with a reliable and ultra-quiet tubular motor for smooth, flexible, and virtually silent operation, with a normal service life of over 10 years
- **Multiple Control Options:** It can be operated through various methods, including manual button remotes, USB trigger, optional infrared remotes, and optional central control systems (supporting protocols like 485 and 232 dry contact), making operation simple and fast.
- **Excellent Viewing Experience:** The screen surface remains flat, offering a wide viewing angle of up to 160 degrees. It can be paired with different screen materials (e.g., anti-ambient light screen, high-definition soft grey screen, white soft screen) to meet various viewing needs. Some models are specifically designed for UST (Ultra Short Throw) laser projectors and may feature ALR (Ambient Light Rejecting) perforated materials for better picture quality in lit environments and 3D stereo sound transmission

## Product Details



## Specification




| Models  | Diagonal | Viewing size(W1*H1) |      | H3  | Length(L) | Height(H2) | W    | Packing size | G.W. |
|---------|----------|---------------------|------|-----|-----------|------------|------|--------------|------|
|         | inch     | mm                  |      | mm  | mm        | mm         | mm   | mm           | KGS  |
| CMF72H  | 72"16:9  | 1600                | 900  | 280 | 1780      | 1280       | 1725 | 1850*190*140 | 20   |
| CMF84H  | 84"16:9  | 1814                | 1021 | 420 | 2055      | 1540       | 1995 | 2120*190*140 | 21   |
| CMF92H  | 92"16:9  | 2035                | 1145 | 400 | 2230      | 1640       | 2175 | 230*190*140  | 23   |
| CMF100H | 100"16:9 | 2212                | 1245 | 390 | 2400      | 1730       | 2345 | 2470*190*140 | 25   |
| CMF110H | 110"16:9 | 2434                | 1369 | 390 | 2630      | 1860       | 2575 | 2700*190*140 | 28   |
| CMF120H | 120"16:9 | 2655                | 1494 | 320 | 2830      | 1920       | 2775 | 2900*190*140 | 30   |
| CMF133H | 133"16:9 | 2942                | 1655 | 290 | 3205      | 2064       | 3115 | 3340*210*150 | 33   |
| CMF150H | 150"16:9 | 3319                | 1867 | 150 | 3585      | 2134       | 3485 | 3710*210*150 | 36   |

Data subject to change without notice



## Ceiling Recessed Screen

Ceiling recessed screen is a modern home theater solution that integrates beauty, practicality and high technology. | This screen is recessed in the ceiling and installed, which not only saves space, but also can be automatically raised and lowered by motor drive, providing users with a convenient operation experience. Its hidden design allows the screen to be completely hidden when not in use, keeping the interior decoration neat and beautiful.




## Key Features

- Aluminum alloy shell, the body shell adopts piano paint technology, no fading or discoloration ; Equipped with removable decorative panels for easy maintenance, aluminum alloy counter-weight bottom rod, can be seamlessly embedded in the ceiling, its hidden design allows the screen to be completely hidden when not in use, keeping the interior decoration neat and beautiful;
- Expansion screws are directly connected to the ceiling. Nothing is more solid than this, meeting the needs of suspended ceilings within 40cm(Or more); Tab-tensioned technology, flat screen surface, vertical without deformation;
- Equipped with built-in silent motor, high power and quieter, smooth operation, thermal protection device, more durable. The low-noise motor is used to ensure that the screen is almost silent during the lifting process to avoid interfering with the viewing experience;
- The screen surface is HD 4K fiber glass screen fabric, ALR screen fabric,4K White PVC,Grey PVC fabric etc.High-quality materials and optical coating technology are used to ensure image clarity and color reproduction, providing a cinema-like viewing experience;
- Intelligent control | : With remote control ,Optional AI voice control and mobile phone APP remote operation. Users can easily control the opening and closing and adjustment of the screen through voice commands or mobile phone applications, improving the convenience of use;Optional USB smart trigger which can connect with projectors.
- Durability | : After moisture-proof treatment and easy-to-clean design, it can maintain good condition in various environments and extend its service life;

## Product Details



## Specification



| models  | Size<br>Inch | Viewing size<br>W*H(mm) | Case size<br>mm | L<br>mm | L1<br>mm | L2<br>mm | L3<br>mm | H1<br>mm | B1<br>mm | B2<br>mm | B3<br>mm | Packing size<br>mm | Weight<br>Kg |
|---------|--------------|-------------------------|-----------------|---------|----------|----------|----------|----------|----------|----------|----------|--------------------|--------------|
| CRS72H  | 72" 16:9     | 1600*900                | 100*120         | 2010    | 1870     | 1850     | 1785     | 1390     | 450      | 30       | 30       | 2036*220*195       | 18           |
| CRS84H  | 84" 16:9     | 1814*1021               | 100*120         | 2280    | 2140     | 2120     | 2055     | 1590     | 450      | 30       | 30       | 2305*220*195       | 19           |
| CRS92H  | 92" 16:9     | 2035*1145               | 100*120         | 2450    | 2310     | 2290     | 2225     | 1680     | 450      | 30       | 30       | 2474*220*195       | 20           |
| CRS100H | 100" 16:9    | 2212*1245               | 100*120         | 2630    | 2490     | 2470     | 2405     | 1780     | 450      | 30       | 30       | 2652*220*195       | 22           |
| CRS110H | 110" 16:9    | 2434*1369               | 100*120         | 2860    | 2720     | 2700     | 2635     | 1910     | 450      | 30       | 30       | 2900*220*195       | 23           |
| CRS120H | 120" 16:9    | 2655*1494               | 100*120         | 3080    | 2940     | 2920     | 2855     | 1880     | 300      | 30       | 30       | 3129*220*195       | 25           |
| CRS133H | 133" 16:9    | 2942*1655               | 100*120         | 3360    | 3220     | 3200     | 3135     | 2040     | 300      | 30       | 30       | 3402*220*195       | 27           |
| CRS150H | 150" 16:9    | 3319*1867               | 100*120         | 3740    | 3600     | 3580     | 3515     | 2260     | 300      | 30       | 30       | 3785*220*195       | 29           |

Data subject to change without notice

## Floating Electric Screen

The Floating Electric Projection Screen creates a stunning "floating" visual effect through its innovative frosted transparent top drop and minimalist mounting system. When deployed, the screen appears magically detached from the wall, seamlessly integrating with modern decor. Featuring a semi-transparent design, it creates a stunning "floating" visual effect that makes projected images appear suspended in air. Engineered for compatibility with laser/UHD projectors and modern smart home ecosystems.




## Key Features

- **Suspended Aesthetics**  
Translucent Material: Allows background wall colors or decor to subtly show through, preserving interior aesthetics while creating an illusion of images "floating" in space.  
Adaptable Height: Adjustable drop length (up to 50 cm) accommodates high wall installations, ensuring optimal viewing angles without neck strain.
- **Smart Integration & Control**  
Auto-Linkage: Syncs with projectors via USB triggers; descends automatically when the projector powers on. Optional Voice/App Control: Built-in voice module compatible with Tuya Smart App and voice assistants. Remote Operation: Low-noise motor supports wireless remote control.
- **Optical Performance**  
Photon Grey/White Material: Nano-layered structure (anti-glare, contrast-enhancing, and gain layers) boosts color vibrancy (110% sRGB gamut), black levels, and contrast. Gain: 2.2×, suitable for 4K/HDR content.  
Wide Viewing Angle: 110°–150° viewing angle with minimal color shift.  
Ambient Light Rejection: Grey surface combats ambient light, maintaining clarity in bright rooms.
- **Tensioning System & Build**  
Self-Tensioning Wires: Lateral elastic cables eliminate "V-wrinkles" and "water ripples," ensuring a wrinkle-free surface.  
Durable Construction: Aircraft-grade aluminum alloy casing, tempered Photon screen, and a quiet tubular motor.  
Precision Mechanics: Gradual scroll shaft design and bottom-rail tension knobs enable manual micro-adjustments for perfect flatness.

## Product Details



## Specification



| models  | Size<br>Inch | Viewing size<br>W*H(mm) | Case size<br>mm | L<br>mm | L1<br>mm | H1<br>mm | B1<br>mm |
|---------|--------------|-------------------------|-----------------|---------|----------|----------|----------|
| CLW72H  | 72" 16:9     | 1600*900                | 70*90           | 1960    | 1720     | 1430     | 400      |
| CLW84H  | 84" 16:9     | 1814*1021               | 70*90           | 2230    | 1990     | 1590     | 400      |
| CLW92H  | 92" 16:9     | 2035*1145               | 70*90           | 2400    | 2160     | 1680     | 400      |
| CLW100H | 100" 16:9    | 2212*1245               | 70*90           | 2580    | 2340     | 1780     | 400      |
| CLW110H | 110" 16:9    | 2434*1369               | 70*90           | 2810    | 2560     | 1910     | 400      |
| CLW120H | 120" 16:9    | 2655*1494               | 70*90           | 3030    | 2790     | 2030     | 300      |

Data subject to change without notice

## Aluminum Case Tab tension Screen ➡

This type of screen integrates a motorized mechanism with a tab-tensioning system housed in a sturdy aluminum alloy casing. The motor lowers and raises the screen, while the tabs (thin wires) on the left and right sides apply constant tension to the screen material. This combination prevents curling, sagging, or the formation of "V" ripples (a common issue known as "V-shaped ripples" or "V-type ripples" on screens), maintaining a perfectly flat surface for a superior picture




## Key Features

- **Superior Flatness**  
The tab-tensioning system keeps the screen material exceptionally flat and smooth, eliminating surface imperfections like wrinkles or "V" ripples for a flawless image .  
Durable & Aesthetic Housing
- The screen is built into a sleek, robust aluminum alloy casing . This material is durable and often features a painted or metallic finish (e.g., black, white) that fits various interior design styles .  
Motorized Operation  
Equipped with a quiet tubular motor for smooth and automatic operation . Control is typically convenient via infrared (IR) or radio frequency (RF) remote controls .
- **Versatile Installation**  
Offers flexible mounting options. It can be installed on either the wall or ceiling using special slidable mounting brackets, making it easier to position the screen perfectly .
- **Customization & Options**  
Available in various aspect ratios (like 16:9, 16:10, 4:3, 2.35:1) and a wide range of sizes, often from around 100 inches to over 150 inches, with custom sizes possible . You can also choose from different screen materials, including ambient light rejecting (ALR) surfaces (like CLR, Black Grey, Fresnel) which are excellent for rooms with ambient light, as well as standard white, grey, or acoustic transparent materials .

## Product Details



## Specification



| Model     | Size (Inch) | H (mm) | W (mm) | B1 (mm) | L&R B2 (mm) | Bottom B3 (mm) | H1 (mm) | L (mm) | Packing size (mm) |
|-----------|-------------|--------|--------|---------|-------------|----------------|---------|--------|-------------------|
| CMTP84VA  | 84          | 1280   | 1707   | 100     | 100         | 70             | 1610    | 2010   | 2070*180*220      |
| CMTP100VA | 100         | 1524   | 2032   | 100     | 100         | 70             | 1854    | 2330   | 2390*180*220      |
| CMTP120VA | 120         | 1829   | 2438   | 100     | 100         | 70             | 2159    | 2740   | 2800*180*220      |
| CMTP150VA | 150         | 2286   | 3048   | 100     | 100         | 70             | 2616    | 3350   | 3410*180*220      |
| CMTP80HA  | 80          | 996    | 1771   | 300     | 100         | 70             | 1526    | 2070   | 2130*180*220      |
| CMTP92HA  | 92          | 1145   | 2036   | 300     | 100         | 70             | 1675    | 2340   | 2400*180*220      |
| CMTP100HA | 100         | 1245   | 2214   | 300     | 100         | 70             | 1775    | 2510   | 2570*180*220      |
| CMTP106HA | 106         | 1320   | 2346   | 300     | 100         | 70             | 1850    | 2650   | 2710*180*220      |
| CMTP120HA | 120         | 1494   | 2666   | 300     | 100         | 70             | 2024    | 2960   | 3020*180*220      |
| CMTP133HA | 133         | 1656   | 2944   | 300     | 100         | 70             | 2186    | 3240   | 3300*180*220      |
| CMTP150HA | 150         | 1868   | 3320   | 300     | 100         | 70             | 2398    | 3620   | 3680*180*220      |

Data subject to change without notice



## Velvet Covered Fixed Frame Screen

A Velvet Covered Fixed Frame Screen is a fixed-frame display surface, tensioned perfectly within a sturdy aluminum frame. Unlike roll-up screens, it is permanently installed on a wall, much like a piece of art.

This permanent, taut installation ensures an impeccably flat surface that remains perfectly smooth and wrinkle-free, providing a flawless canvas for your projector’s image.


Designed for both home theater enthusiasts and professional installations, our frame screens deliver the ultimate viewing experience with razor-sharp image quality and elegant aesthetics.



### Key Features

- **Razor-Sharp, Perfectly Flat Surface**  
Advanced tensioning system eliminates waves, ripples, and “hot spots” for consistently sharp images from edge to edge.
- **Sleek, Low-Profile Aluminum Frame**  
Durable, lightweight aluminum frame (6.5cm-9cm depth) with velvety flocking that absorbs stray light for enhanced focus.
- **Superior Visual Performance**  
Specialized fabrics enhance contrast, improve color vibrancy, and provide wide viewing angles from any seat.
- **Elegant and Customizable Aesthetics**  
More than just a screen – it’s a statement piece with multiple velvet fabric borders to complement your interior design.  
Simple and Secure Installation  
Designed for clean, professional finish with easy assembly and rigid, stable mounting that lasts for years.
- **Wide Viewing Angles**  
Enjoy consistent image quality and color accuracy from virtually any position in the room.

## Product Details



### Specification


| Models  | Specification |           | Frame size | Length(L) | Height(H) | Viewing size(L1*H1) | Packing size | N.W. | G.W. |
|---------|---------------|-----------|------------|-----------|-----------|---------------------|--------------|------|------|
|         | inch          | mm        |            |           |           |                     |              |      |      |
| CFP72V  | 72" 4:3       | 1460*1100 | 20*80      | 1620      | 1260      | 1460*1100           | 1800*240*130 | 11   | 12   |
| CFP84V  | 84" 4:3       | 1700*1280 | 20*80      | 1860      | 1440      | 1700*1280           | 2050*240*130 | 10   | 11.5 |
| CFP100V | 100" 4:3      | 2030*1520 | 20*80      | 2190      | 1680      | 2030*1520           | 2400*240*130 | 12   | 13.5 |
| CFP120V | 120" 4:3      | 2440*1830 | 20*80      | 2600      | 1990      | 2440*1830           | 2880*240*130 | 14   | 15.5 |
| CFP135V | 135" 4:3      | 2750*2060 | 20*80      | 2910      | 2220      | 2750*2060           | 3250*240*130 | 16   | 17.5 |
| CFP150V | 150" 4:3      | 3050*2280 | 20*80      | 3210      | 2440      | 3050*2280           | 3490*240*130 | 18   | 20   |
| CFP180V | 180" 4:3      | 3660*2750 | 20*80      | 3820      | 2910      | 3660*2750           | 4000*240*130 | 25   | 28   |
| CFP200V | 200" 4:3      | 4060*3050 | 20*80      | 4220      | 3210      | 4060*3050           | 4400*240*130 | 30   | 35   |
| CFP72H  | 72" 16:9      | 1600*900  | 20*80      | 1760      | 1060      | 1600*900            | 1950*240*130 | 10.5 | 12   |
| CFP84H  | 84" 16:9      | 1860*1045 | 20*80      | 2020      | 1205      | 1860*1045           | 2200*240*130 | 11.5 | 13   |
| CFP92H  | 92" 16:9      | 2030*1145 | 20*80      | 2190      | 1305      | 2030*1145           | 2370*240*130 | 12   | 13.5 |
| CFP100H | 100" 16:9     | 2210*1250 | 20*80      | 2370      | 1410      | 2210*1250           | 2650*240*130 | 13   | 14.5 |
| CFP106H | 106" 16:9     | 2350*1320 | 20*80      | 2510      | 1480      | 2350*1320           | 2700*240*130 | 14   | 15.5 |
| CFP120H | 120" 16:9     | 2650*1500 | 20*80      | 2810      | 1660      | 2650*1500           | 3100*240*130 | 16   | 18   |
| CFP133H | 133" 16:9     | 2940*1660 | 20*80      | 3100      | 1820      | 2940*1660           | 3280*240*130 | 18   | 20   |
| CFP150H | 150" 16:9     | 3320*1870 | 20*80      | 3480      | 2030      | 3320*1870           | 3750*240*130 | 22   | 25   |

Data subject to change without notice

## Ultra Thin Bezel Fixed Screen

An ultra thin bezel screen is a premium fixed screen featuring a rigid, permanent frame with a projection surface stretched tautly across it. The defining characteristic is its extremely thin bezel—often measuring 1cm or less—creating a virtually seamless, edge-to-edge viewing experience.

When not in use, the screen resembles a sophisticated large-format flat-panel display, blending seamlessly into modern interior designs while delivering unparalleled performance during operation.



## Key Features

- **The 1cm Ultra-Narrow Border**  
Our near-invisible border ensures a completely seamless viewing experience. Your eyes focus solely on the picture, not on the edges of the screen.  
Watch movies exactly as the director intended
- **True Cinematic Experience**  
Watch movies exactly as the director intended. The lack of a thick, black bezel means no visual breaks, pulling you directly into the action.
- **Premium, Modern Aesthetic**  
More than just functional, this screen is a statement of style. The minimalist frame integrates flawlessly into any modern living space.
- **Rigid, Flawless Surface**  
Unlike roll-up screens, our fixed-frame design ensures a perfectly flat and taut surface forever. This eliminates waves, wrinkles, and distortions.
- **High-Performance PVC Fabric**  
The screen features a premium, gain-optimized matte white / grey surface that provides wide viewing angles and accurate color reproduction.  
Simple & Secure Assembly
- **Designed with the user in mind**, the frame features a robust, interlocking system for easy and secure assembly. The durable construction ensures long-term stability.

## Product Details



## Specification

| Models  | Size     | Viewing size | Frame width | Total Length<br>(Including Frame) | Total Height<br>(Including | Packing size | G.W. |
|---------|----------|--------------|-------------|-----------------------------------|----------------------------|--------------|------|
|         | inch     | mm           | mm          | mm                                | mm                         | mm           | KGS  |
| CNF72H  | 72"16:9  | 1600*900     | 10          | 1624                              | 924                        | 1680*180*100 | 8    |
| CNF80H  | 80"16:9  | 1770*996     | 10          | 1794                              | 1020                       | 1850*180*100 | 8.4  |
| CNF84H  | 84"16:9  | 1814*1021    | 10          | 1838                              | 1045                       | 1930*180*100 | 8.7  |
| CNF90H  | 90"16:9  | 1991*1120    | 10          | 2015                              | 1144                       | 2108*180*100 | 9.3  |
| CNF92H  | 92"16:9  | 2035*1145    | 10          | 2059                              | 1169                       | 2130*180*100 | 9.5  |
| CNF100H | 100"16:9 | 2212*1245    | 10          | 2236                              | 1269                       | 2280*180*100 | 10.5 |
| CNF110H | 110"16:9 | 2434*1369    | 10          | 2458                              | 1393                       | 2520*180*100 | 11   |
| CNF120H | 120"16:9 | 2655*1494    | 10          | 2679                              | 1518                       | 2730*180*100 | 12   |
| CNF133H | 133"16:9 | 2942*1655    | 10          | 2966                              | 1679                       | 3050*180*100 | 13.5 |
| CNF150H | 150"16:9 | 3319*1867    | 10          | 3343                              | 1891                       | 2050*180*100 | 15   |
| CNF180H | 180"16:9 | 3982*2240    | 10          | 4006                              | 2264                       | 2420*180*100 | 19   |
| CNF200H | 200"16:9 | 4425*2489    | 10          | 4449                              | 2513                       | 2670*180*100 | 20   |


Data subject to change without notice



Curved Fixed Frame Screen



The curved frame screen is a projection screen with a curved design. Its design inspiration comes from the curved surface structure of the human eye retina. The curved frame screen can provide a more natural and comfortable field of view and a wide viewing angle, making the viewing experience more immersive and comfortable. Its design principle is to skip the conversion link from the flat surface to the curved surface of the human eye, and the image can be directly received and processed by the brain, so as to obtain a more comfortable viewing experience



Key Features

- Immersion and Panoramic Viewing:  
The primary characteristic is its ability to create a more immersive and panoramic viewing experience. The gentle curve of the screen wraps the image slightly around the viewer's peripheral vision, making them feel more "inside" the action, similar to the effect in a commercial cinema.
- Reduced Pin Cushion Distortion:  
All projectors, especially those with wide-angle lenses or those placed off-center, can produce a slight "pincushion" effect, where straight lines bow inward on a flat screen. A curved screen is geometrically designed to counteract this distortion, resulting in straighter lines and a more accurate, rectilinear image, particularly at the edges.
- Enhanced Perceived Contrast and Sharpness:  
The curved shape helps to direct more of the projected light back towards the central seating area (the "sweet spot"). This can make the image appear brighter, with better perceived contrast and sharpness for viewers in the prime seating positions, as it minimizes light scatter.
- Fixed and Taut Surface:  
Like flat fixed-frame screens, the material is permanently stretched taut within the frame. This eliminates any waves, ripples, or creases that are common with pull-down screens, ensuring a perfectly flat and uniform surface for a flawless picture.
- Designed for a "Sweet Spot":  
The benefits of the curve are most pronounced for viewers sitting in the central seating area. The optimal viewing experience is designed for a specific "sweet spot," making it ideal for dedicated home theaters where the main seating is arranged centrally.
- Aesthetic and Premium Appeal:  
A curved fixed-frame screen has a sleek, modern, and high-end look. It is often considered a centerpiece of a dedicated home theater room, signaling a commitment to premium video quality.

Product Details



Specification

| Models   | Specification |           | Radian | Length | Height | Frame width | Packing size | N.W. | G.W. |
|----------|---------------|-----------|--------|--------|--------|-------------|--------------|------|------|
|          | inch          | mm        |        |        |        |             |              |      |      |
| CCFP72V  | 72" 4:3       | 1460*1100 | 15     | 1620   | 1260   | 80          | 1730*227*129 | 15   | 17   |
| CCFP84V  | 84" 4:3       | 1700*1280 | 15     | 1870   | 1440   | 80          | 1980*227*129 | 17   | 19   |
| CCFP100V | 100" 4:3      | 2030*1520 | 15     | 2190   | 1680   | 80          | 2300*227*129 | 20   | 22.5 |
| CCFP120V | 120" 4:3      | 2440*1830 | 15     | 2600   | 1990   | 80          | 2750*227*129 | 30   | 31.5 |
| CCFP80H  | 80" 16:9      | 1770*995  | 15     | 1930   | 1155   | 80          | 2040*227*129 | 13   | 15   |
| CCFP92H  | 92" 16:9      | 2030*1145 | 15     | 2190   | 1300   | 80          | 2300*227*129 | 15   | 17.5 |
| CCFP96H  | 96" 16:9      | 2125*1195 | 15     | 2285   | 1355   | 80          | 2395*227*129 | 16   | 18.3 |
| CCFP100H | 100" 16:9     | 2210*1250 | 15     | 2375   | 1405   | 80          | 2485*227*129 | 17   | 19   |
| CCFP106H | 106" 16:9     | 2350*1320 | 15     | 2505   | 1480   | 80          | 2615*227*129 | 17.5 | 19.6 |
| CCFP133H | 133" 16:9     | 2940*1660 | 15     | 3110   | 1815   | 80          | 3260*227*129 | 22   | 25   |
| CCFP150H | 150" 16:9     | 3320*1870 | 15     | 3480   | 2030   | 80          | 3630*227*129 | 29   | 32   |

Data subject to change without notice

## Fast Fold Screen


A Fast Fold Screen is a type of portable projection screen with a rigid, modular frame system. Unlike traditional tripod screens, it does not have a central support pole, which can cause a visible crease. Its key feature is the “fast-fold” mechanism, which allows for quick assembly and disassembly without tools, making it ideal for rental and event production companies. The system typically consists of lightweight aluminum frames that snap together and a projection surface that tension-fits to the frame, creating a perfectly flat viewing area.



## Key Features

- **Rapid Setup & Portability**  
The lightweight aluminum frame sections snap together quickly via tension rods or locking pins. It can be assembled or taken down by one or two people in minutes. The entire system folds flat into a compact carrying case for easy transport.
- **Seamless, Wrinkle-Free Surface**  
Since the screen material is tensioned onto a rigid frame from all sides, it provides a perfectly flat and smooth viewing surface without any central crease or sagging.
- **Versatile Screen Materials**  
Fast-Fold screens are available with various front and rear projection materials, including high-gain, matte white, and grey materials for different lighting conditions and projection technologies.
- **High-Tension, Rigid Frame**  
Once assembled, the frame is very sturdy and stable, preventing the screen from wobbling during presentations or in environments with air circulation.
- **Professional Appearance**  
The clean, seamless appearance and sturdy construction give fast-fold screens a professional look suitable for high-end events and presentations.
- **High Portability**  
The entire system breaks down into a compact, lightweight carrying case. The frame tubes are separate, and the screen material can be rolled or folded, making it easy to transport and store.

## Product Details



## Specification


| Models     | Specification |           | Frame size | Length | Height | Viewing size | Black Borders | Packing size | N.W. | G.W. |
|------------|---------------|-----------|------------|--------|--------|--------------|---------------|--------------|------|------|
|            | inch          | mm        | mm         | mm     | mm     | mm           | mm            | mm           | KGS  | KGS  |
| CFFP7243   | 72" 4:3       | 1460*1100 | 32*32      | 1610   | 2000   | 1460*1100    | 75            | 1000*400*400 | 25   | 30   |
| CFFP8443   | 84" 4:3       | 1700*1280 | 32*32      | 1850   | 2180   | 1700*1280    | 75            | 1000*400*400 | 27   | 32   |
| CFFP10043  | 100" 4:3      | 2030*1520 | 32*32      | 2180   | 2420   | 2030*1520    | 75            | 1250*430*430 | 28   | 34   |
| CFFP12043  | 120" 4:3      | 2440*1830 | 32*32      | 2590   | 2730   | 2440*1830    | 75            | 1250*430*430 | 32   | 38   |
| CFFP15043  | 150" 4:3      | 3050*2280 | 32*32      | 3200   | 3180   | 3050*2280    | 75            | 1250*430*430 | 36   | 40   |
| CFFP18043  | 180" 4:3      | 3660*2750 | 32*32      | 3810   | 3650   | 3660*2750    | 75            | 1350*450*450 | 37   | 44   |
| CFFP20043  | 200" 4:3      | 4060*3050 | 32*32      | 4210   | 3950   | 4060*3050    | 75            | 1350*450*450 | 38   | 45   |
| CFFP25043  | 250" 4:3      | 5080*3810 | 32*64      | 5230   | 4710   | 5080*3810    | 100           | 1500*500*500 | 40   | 50   |
| CFFP30043  | 300" 4:3      | 6000*4500 | 32*64      | 6150   | 5400   | 6000*4500    | 100           | 1500*500*500 | 50   | 60   |
| CFFP35043  | 350" 4:3      | 7110*5330 | 32*64      | 7260   | 6230   | 7110*5330    | 100           | 1600*500*500 | 70   | 80   |
| CFFP72169  | 72" 16:9      | 1600*900  | 32*32      | 1750   | 1800   | 1600*900     | 75            | 1000*400*400 | 27   | 32   |
| CFFP84169  | 84" 16:9      | 1860*1045 | 32*32      | 2010   | 1945   | 1860*1045    | 75            | 1000*400*400 | 29   | 34   |
| CFFP100169 | 100" 16:9     | 2210*1250 | 32*32      | 2180   | 2150   | 2210*1250    | 75            | 1250*430*430 | 30   | 36   |
| CFFP120169 | 120" 16:9     | 2650*1500 | 32*32      | 2800   | 2400   | 2650*1500    | 75            | 1250*430*430 | 35   | 41   |
| CFFP150169 | 150" 16:9     | 3320*1870 | 32*32      | 3470   | 2770   | 3320*1870    | 75            | 1250*430*430 | 37   | 43   |
| CFFP180169 | 180" 16:9     | 3980*2240 | 32*32      | 4130   | 3140   | 3980*2240    | 75            | 1350*450*450 | 42   | 50   |
| CFFP200169 | 200" 16:9     | 4430*2490 | 32*32      | 4580   | 3390   | 4430*2490    | 75            | 1350*450*450 | 47   | 55   |
| CFFP250169 | 250" 16:9     | 5530*3110 | 32*64      | 5680   | 4010   | 5530*3110    | 100           | 1500*500*500 | 56   | 66   |
| CFFP300169 | 300" 16:9     | 6650*3740 | 32*64      | 6800   | 4640   | 6650*3740    | 100           | 1500*500*500 | 77   | 87   |

Data subject to change without notice



## Portable Tripod Screen

A portable tripod projector screen is a versatile, user-friendly display solution designed for quick setup and easy transportation. It consists of a fold-able tripod stand and a high-quality screen material, making it ideal for impromptu presentations, entertainment, and various events where mobility and convenience are essential.




## Key Features

- **Lightweight & Portable**  
Easy to carry with included storage bag, perfect for travelers and mobile professionals.
- **Quick Setup**  
Effortlessly deploy and retract with spring-loaded and tripods
- **Wide Compatibility**  
Compatible with most projectors and available in multiple aspect ratios (16:9, 4:3).
- **Stable Structure**  
Sturdy tripod base ensures the screen remains flat and steady during use.
- **Multiple Sizes**  
Available in various sizes to accommodate different audience sizes and spaces.
- **Durable Construction**  
Made from high-quality materials for long-lasting performance.
- **Space-Saving**  
Compact when folded, requiring minimal storage space.
- **Present Anywhere**  
Perfect for mobile offices, outdoor events, and spontaneous gatherings.
- **Cost-Effective**  
Offers excellent value with robust functionality at an affordable price.
- **Easy Maintenance**  
Simple to clean and maintain, with replaceable components if needed.

## Product Details



## Specification



| Models    | Specification |           | Casing size | Length(L) | Height(H) | Viewing size(L1*H1) | B1 | B2 | B3  | Packing size | N.W. | G.W. |
|-----------|---------------|-----------|-------------|-----------|-----------|---------------------|----|----|-----|--------------|------|------|
|           | inch          | mm        | mm          | mm        | mm        | mm                  | mm | mm | mm  | mm           | KGS  | KGS  |
| CTP5050   | 50*50         | 1270*1270 | 78*78       | 1360      | 1360      | 1270*1270           | 30 | 0  | 0   | 1500*180*120 | 7    | 8    |
| CTP6060   | 60*60         | 1520*1520 | 78*78       | 1610      | 1610      | 1520*1520           | 30 | 0  | 0   | 1730*180*120 | 8    | 9    |
| CTP7070   | 70*70*        | 1780*1780 | 78*78       | 1870      | 1880      | 1780*1780           | 30 | 0  | 0   | 2100*180*120 | 9    | 10   |
| CTP8080   | 80*80         | 2030*2030 | 78*78       | 2120      | 2150      | 2030*2030           | 30 | 0  | 0   | 2300*200*130 | 11   | 12   |
| CTP8484   | 84*84         | 2130*2130 | 78*78       | 2220      | 2250      | 2130*2130           | 30 | 0  | 0   | 2400*200*130 | 11.5 | 13   |
| CTP9696   | 96*96         | 2440*2440 | 78*78       | 2530      | 2560      | 2440*2440           | 30 | 0  | 0   | 2720*200*130 | 13   | 14.5 |
| CTP8443   | 84" 4:3       | 1700*1280 | 78*78       | 1790      | 1440      | 1700*1280           | 30 | 30 | 30  | 2050*180*120 | 9    | 10   |
| CTP10043  | 100" 4:3      | 2030*1520 | 78*78       | 2120      | 1680      | 2030*1520           | 30 | 30 | 30  | 2400*180*120 | 11   | 12.5 |
| CTP12043  | 120" 4:3      | 2440*1830 | 78*78       | 2530      | 2030      | 2440*1830           | 40 | 40 | 40  | 2750*200*130 | 14   | 15.5 |
| CTP13543  | 135" 4:3      | 2750*2060 | 78*78       | 2850      | 2260      | 2750*2060           | 40 | 40 | 40  | 2980*200*130 | 18   | 21   |
| CTP15043  | 150" 4:3      | 3050*2280 | 78*78       | 3150      | 2500      | 3050*2280           | 50 | 50 | 50  | 3270*200*140 | 20   | 22.5 |
| CTP72169  | 72" 16:9      | 1600*900  | 78*78       | 1690      | 1340      | 1600*900            | 40 | 40 | 300 | 1950*180*120 | 8.5  | 9.5  |
| CTP84169  | 84" 16:9      | 1860*1045 | 78*78       | 1950      | 1490      | 1860*1045           | 40 | 40 | 300 | 2150*180*120 | 9.5  | 10.5 |
| CTP92169  | 92" 16:9      | 2030*1145 | 78*78       | 2120      | 1610      | 2030*1145           | 50 | 50 | 300 | 2300*200*130 | 11   | 12.5 |
| CTP100169 | 100" 16:9     | 2210*1250 | 78*78       | 2300      | 1660      | 2210*1250           | 50 | 50 | 300 | 2650*200*130 | 12   | 14   |
| CTP106169 | 106" 16:9     | 2350*1320 | 78*78       | 2440      | 1790      | 2350*1320           | 50 | 50 | 300 | 2700*200*130 | 13   | 15   |
| CTP120169 | 120" 16:9     | 2650*1500 | 78*78       | 2740      | 1970      | 2650*1500           | 50 | 50 | 450 | 3100*200*130 | 16.5 | 18.5 |
| CTP133169 | 133" 16:9     | 2940*1660 | 78*78       | 3040      | 2280      | 2940*1660           | 50 | 50 | 450 | 3160*200*130 | 20   | 22.5 |
| CTP150169 | 150" 16:9     | 3320*1870 | 78*78       | 3420      | 2515      | 3320*1870           | 50 | 50 | 450 | 3750*200*140 | 25   | 28   |

## Portable Pull Up Screen

The Portable Pull Up Screen is a versatile and portable display solution designed for modern mobile presenters and event organizers. Featuring a self-supporting structure that effortlessly unfolds from a compact carry case, it offers a smooth, stable surface for crisp and vibrant projections in any setting. Ideal for business presentations, educational sessions, exhibitions, and home entertainment, this screen combines convenience with professional performance. Its quick setup mechanism allows you to be ready for presentation in minutes, without the need for tools or complex assembly.




## Key Features

- **Portable & Lightweight**  
Easy to transport and store, perfect for on-the-go use with a compact carry case included.
- **Quick Setup**  
No tools required—unfold and ready within minutes, saving valuable preparation time.
- **Durable Construction**  
High-quality materials and robust design ensure long-term reliability and performance.
- **Self-Standing Stability**  
Built-in support legs ensure a taut, flat screen without external fixtures or wall mounting.
- **High Reflectivity & Wide Viewing Angle**  
Enhanced optical materials deliver brilliant colors and clarity from any perspective.
- **Multiple Sizes Available**  
Tailor your setup to suit intimate meetings or large-scale events with various size options.

## Product Details



## Specification




| Models    | Specification |           | Casing size | Length(L) | Height(H) | Viewing size(L1*H1) | B1 | B2   | B3 | Packing size | G.W. |
|-----------|---------------|-----------|-------------|-----------|-----------|---------------------|----|------|----|--------------|------|
|           | inch          | mm        |             |           |           |                     |    |      |    |              |      |
| CPP6043   | 60" 4:3       | 1200*900  | 130*110     | 1340      | 2100      | 1200*900            | 30 | 1040 | 30 | 1500*170*145 | 10   |
| CPP7243   | 72" 4:3       | 1460*1100 | 130*110     | 1600      | 2100      | 1460*1100           | 30 | 840  | 30 | 1750*170*145 | 11.5 |
| CPP8443   | 84" 4:3       | 1700*1280 | 130*110     | 1840      | 2100      | 1700*1280           | 30 | 670  | 30 | 1900*170*145 | 12.5 |
| CPP10043  | 100" 4:3      | 2030*1520 | 130*110     | 2170      | 2100      | 2030*1520           | 30 | 420  | 30 | 2300*170*145 | 14   |
| CPP12043  | 120" 4:3      | 2440*1830 | 130*110     | 2570      | 2100      | 2440*1830           | 30 | 110  | 30 | 2740*170*145 | 16   |
| CPP60169  | 60" 16:9      | 1330*750  | 130*110     | 1460      | 2100      | 1330*750            | 30 | 1190 | 30 | 1650*170*145 | 11   |
| CPP72169  | 72" 16:9      | 1600*900  | 130*110     | 1730      | 2100      | 1600*900            | 30 | 1040 | 30 | 1900*170*145 | 12   |
| CPP80169  | 80" 16:9      | 1770*995  | 130*110     | 1900      | 2100      | 1770*995            | 30 | 945  | 30 | 2000*170*145 | 13   |
| CPP92169  | 92" 16:9      | 2030*1140 | 130*110     | 2160      | 2100      | 2030*1140           | 30 | 800  | 30 | 2300*170*145 | 14   |
| CPP100169 | 100" 16:9     | 2210*1240 | 130*110     | 2340      | 2100      | 2210*1240           | 30 | 700  | 30 | 2500*170*145 | 15   |
| CPP120169 | 120" 16:9     | 2440*1370 | 130*110     | 2570      | 2100      | 2440*1370           | 30 | 570  | 30 | 2740*170*145 | 17   |

Data subject to change without notice



Manual Screen 

Manual Pull Down Screen, the epitome of simplicity, reliability, and elegant design for a wide range of viewing environments. Engineered for daily use, this screen combines a sleek, modern square casing with a highly effective self-locking mechanism. It is the ideal solution for conference rooms, classrooms, and home entertainment systems where effortless operation and a clean, professional appearance are paramount.





Key Features

- Robust Square Casing  
Feature: Unlike traditional octagon tubes, the screen features a minimalist, square-profile external casing.  
Advantages:  
Modern Aesthetics: Provides a sleek, contemporary look  
Space-Efficient: Flat sides allow for flush mounting  
Enhanced Durability: Rigid construction offers superior protection
- Precision Self-Locking System  
Feature: An integrated self-locking mechanism automatically holds the screen material at any desired height.  
Advantages:  
Perfect Positioning: Stop and lock at any height  
Stability & Safety: Prevents slipping or sagging  
Effortless Operation: Simple pull to deploy, smooth release to retract
- Manual Pull-Down Operation  
Feature: Simple, intuitive, and tool-free operation by manually pulling the bottom bar down.  
Advantages:  
No Power Required: Can be installed anywhere  
Cost-Effective: More affordable than motorized models  
High Reliability: Minimal maintenance required

Product Details

















Specification



| Models    | Specification |           | Casing size | Length(L) | Height(H) | Viewing size(L1*H1) | B1 | B2 | B3  | Packing size | N.W. | G.W. |
|-----------|---------------|-----------|-------------|-----------|-----------|---------------------|----|----|-----|--------------|------|------|
|           | inch          | mm        |             |           |           |                     |    |    |     |              |      |      |
| CWP5050   | 50*50         | 1270*1270 | 78*78       | 1405      | 1360      | 1270*1270           | 30 | 0  | 0   | 1500*140*120 | 6    | 7    |
| CWP6060   | 60*60         | 1520*1520 | 78*78       | 1655      | 1610      | 1520*1520           | 30 | 0  | 0   | 1770*140*130 | 6.6  | 7.6  |
| CWP7070   | 70*70*        | 1780*1780 | 78*78       | 1915      | 1880      | 1780*1780           | 30 | 0  | 0   | 2100*140*130 | 7    | 8    |
| CWP8080   | 80*80         | 2030*2030 | 78*78       | 2165      | 2150      | 2030*2030           | 30 | 0  | 0   | 2300*160*140 | 9    | 10.5 |
| CWP8484   | 84*84         | 2130*2130 | 78*78       | 2265      | 2250      | 2130*2130           | 30 | 0  | 0   | 2400*160*140 | 9.5  | 11   |
| CWP9696   | 96*96         | 2440*2440 | 78*78       | 2575      | 2560      | 2440*2440           | 30 | 0  | 0   | 2720*160*140 | 11   | 12.5 |
| CWP8443   | 84" 4:3       | 1700*1280 | 78*78       | 1835      | 1440      | 1700*1280           | 30 | 30 | 30  | 2050*140*130 | 8    | 8.8  |
| CWP10043  | 100" 4:3      | 2030*1520 | 78*78       | 2165      | 1680      | 2030*1520           | 30 | 30 | 30  | 2400*140*130 | 9    | 10.5 |
| CWP12043  | 120" 4:3      | 2440*1830 | 78*78       | 2575      | 2030      | 2440*1830           | 40 | 40 | 40  | 2750*160*140 | 11   | 12.5 |
| CWP13543  | 135" 4:3      | 2750*2060 | 78*78       | 2900      | 2260      | 2750*2060           | 40 | 40 | 40  | 2980*160*140 | 15   | 18   |
| CWP15043  | 150" 4:3      | 3050*2280 | 78*78       | 3200      | 2500      | 3050*2280           | 50 | 50 | 50  | 3270*160*140 | 17   | 19.5 |
| CWP72169  | 72" 16:9      | 1600*900  | 78*78       | 1735      | 1340      | 1600*900            | 40 | 40 | 300 | 1950*140*130 | 8    | 9    |
| CWP84169  | 84" 16:9      | 1860*1045 | 78*78       | 1995      | 1490      | 1860*1045           | 40 | 40 | 300 | 2150*140*130 | 9    | 10   |
| CWP92169  | 92" 16:9      | 2030*1145 | 78*78       | 2165      | 1610      | 2030*1145           | 50 | 50 | 300 | 2300*160*140 | 9.8  | 11   |
| CWP100169 | 100" 16:9     | 2210*1250 | 78*78       | 2345      | 1660      | 2210*1250           | 50 | 50 | 300 | 2650*160*140 | 10   | 12   |
| CWP106169 | 106" 16:9     | 2350*1320 | 78*78       | 2485      | 1790      | 2350*1320           | 50 | 50 | 300 | 2700*160*140 | 11   | 12.5 |
| CWP120169 | 120" 16:9     | 2650*1500 | 78*78       | 2785      | 1970      | 2650*1500           | 50 | 50 | 450 | 3100*160*140 | 13.5 | 15.5 |
| CWP133169 | 133" 16:9     | 2940*1660 | 78*78       | 3090      | 2280      | 2940*1660           | 50 | 50 | 450 | 3160*160*140 | 17   | 19.5 |
| CWP150169 | 150" 16:9     | 3320*1870 | 78*78       | 3470      | 2515      | 3320*1870           | 50 | 50 | 450 | 3750*160*160 | 20   | 23   |

## Screen Material

|                                                                                    |                                                                                                                                                                            |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | 0.38mm matte white<br>Gain1.0<br>Thickness - Approximately 0.38mm±0.02<br>Viewing Angle - 160°<br>Application:Electric screen>manual screen,tripod screen                  |
|    | 0.42mm HD matte white<br>Gain1.1<br>Thickness - Approximately 0.42mm±0.02<br>Viewing Angle - 160°<br>Application:Electric screen>manual screen,tripod screen               |
|   | Matte Grey<br>Gain0.8<br>Thickness - Approximately 0.42mm±0.02<br>Viewing Angle - 160°<br>Application:Electric screen>manual screen,tripod screen                          |
|  | White Fiber glass<br>Gain1.1<br>Thickness - Approximately 0.42mm±0.02<br>Viewing Angle - 160°<br>Application:Electric screen>manual screen,tripod screen,large size screen |
|  | White PVC<br>Gain1.1<br>Thickness - Approximately 0.32mm±0.02<br>Viewing Angle - 160°<br>Application:Tab tension screen,fixed frame screen,fast fold screen                |
|  | Grey PVC<br>Gain1.1<br>Thickness - Approximately 0.32mm±0.02<br>Viewing Angle - 160°<br>Application:Tab tension screen,fixed frame screen,fast fold screen                 |
|  | Double-Sided White PVC<br>Gain1.0<br>Thickness - Approximately 0.28mm±0.02<br>Viewing Angle - 160°<br>Application:Tab tension screen,fixed frame screen,fast fold screen   |

|                                                                                       |                                                                                                                                                                                                                                              |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | Metal projection fabric<br>Gain2.0<br>Thickness - Approximately 0.32mm±0.02<br>Viewing Angle - 120°<br>Application:Tab tension screen,fixed frame screen,fast fold screen,3D film                                                            |
|    | Rear Projection Fabric<br>Gain1.8<br>Thickness - Approximately 0.28mm±0.02<br>Viewing Angle - 120°<br>Application:Tab tension screen,fixed frame screen,fast fold screen                                                                     |
|    | Perforated acoustic fabric<br>Gain1.0<br>Thickness - Approximately 0.32mm±0.02<br>Viewing Angle - 160°<br>Application:Tab Tension Screen,Fixed Frame screen                                                                                  |
|   | Woven acoustic fabric<br>Gain1.1<br>Thickness - Approximately 0.42mm±0.02<br>Viewing Angle - 160°<br>Application:Tab Tension Screen,Fixed Frame screen                                                                                       |
|  | Black Crystal ALR fabric<br>Gain0.8<br>Thickness - Approximately 0.32mm±0.02<br>Viewing Angle - 160°<br>Application:Tab tension screen,fixed frame screen<br>Projector:Short throw projector,standard throw projector,floor rising screen    |
|  | Fresnel ALR Fabric<br>Gain1.8±0.2<br>Thickness - Approximately 0.2mm±0.02<br>Viewing Angle - 120°<br>Application:Tab tension screen,fixed frame screen,floor rising screen<br>Projector:Standard throw projector,Ultra short throw projector |
|  | Black Grating ALR Fabric<br>Gain 0.6/0.8/0.45<br>Thickness - Approximately 0.49mm±0.02<br>Viewing Angle - 160°<br>Application:Tab tension screen,fixed frame scree,floor rising screen<br>Projector:Ultra short throw projector              |
|  | PET Photon<br>Gain2.1<br>Thickness - Approximately 0.22mm±0.02<br>Viewing Angle - 120°<br>Application:Tab tension screen,electric screen                                                                                                     |